


HMEC



Shaft	Dimensions					Load rating		Limiting speed	Reference speed	Code bearing HMEC	Mass ≈
	d	D	B	C	T	dyn. C	stat. Co				
	mm					kN					
30	30	62	16	14	17.25	44	49	12000	7500	30206A	0.237
	30	62	20	17	21.25	54	63	12000	7000	32206A	0.274
	30	62	25	19.5	25	65.5	78	11000	6700	33206	0.394
	30	72	19	16	20.75	60	61	10000	7500	30306A	0.445
	30	72	19	14	20.75	45.5	47.5	10000	7500	31306A	0.441
	30	72	27	23	28.75	81.5	90	10000	7000	32306A	0.587
32	32	58	17	13	17	40	50	12000	6300	320/32X	0.188
35	35	62	18	14	18	46.5	58.5	11000	6000	32007X	0.225
	35	72	17	15	18.25	54	60	10000	6700	30207A	0.334
	35	72	23	19	24.25	71	85	10000	6000	32207A	0.482
	35	72	28	22	28	86.5	106	10000	5600	33207	0.585
	35	80	21	18	22.75	73.5	76.5	9500	6700	30307A	0.573
	35	80	21	15	22.75	60	65.5	9000	6300	31307A	0.582
	35	80	31	25	32.75	100	114	9500	6300	32307A	0.741
	35	80	31	25	32.75	96.5	118	9000	6300	32307B	0.802
40	40	68	19	14.5	19	54	71	10000	5600	32008XA	0.312
	40	75	26	20.5	26	80	104	9000	5300	33108	0.546
	40	80	18	16	19.75	62	68	9000	6000	30208A	0.42
	40	80	23	19	24.75	80	95	9000	5300	32208A	0.555
	40	80	32	25	32	106	134	8500	5300	33208	0.736
	40	90	23	20	25.25	91.5	102	8000	6000	30308A	0.812
	40	90	23	17	25.25	76.5	83	7500	6000	31308A	0.8
	40	90	33	27	35.25	120	146	8000	5600	32308A	1.03
	40	90	33	27	35.25	122	150	7500	5600	32308B	1.18