


### Taper Roller Bearing (imperial size)



Dimensions					Load rating		Limiting speed		Code bearing		Mass	
d	D	T	B	C	dyn. C	stat. Co	min <sup>-1</sup>		HMEC		≈ kg	
mm					kN		(Grease)	(Oil)	(CONE)	(CUP)	(CONE)	(CUP)
25.400	50.005	13.495	14.26	9.525	26000	27900	7500	10000	<b>07100SA</b>	<b>07196</b>	0.082	0.035
	50.005	13.495	14.26	9.525	26000	27900	7500	10000	<b>07100</b>	<b>07196</b>	0.084	0.035
	50.292	14.224	14.732	10.668	27600	32000	7100	10000	<b>L44643</b>	<b>L44610</b>	0.090	0.039
	57.15	17.462	17.462	13.495	39500	45500	6700	9000	<b>15578</b>	<b>15520</b>	0.151	0.07
	57.15	19.431	19.431	14.732	42500	49000	6700	9000	<b>M84548</b>	<b>M84510</b>	0.156	0.089
	59.53	23.368	23.114	18.288	50000	58000	6300	9000	<b>M84249</b>	<b>M84210</b>	0.194	0.13
	62.00	19.05	20.638	14.288	46000	53000	6000	8000	<b>15101</b>	<b>15245</b>	0.222	0.081
	63.50	20.638	20.638	15.875	46000	53000	6000	8000	<b>15100</b>	<b>15250</b>	0.22	0.113
	64.292	21.433	21.433	16.670	51000	64500	5600	8000	<b>M86643</b>	<b>M86610</b>	0.246	0.128
	65.088	22.225	21.463	15.875	45000	47500	5600	8000	<b>23100</b>	<b>23256</b>	0.214	0.142
	68.262	22.225	22.225	17.462	55000	64000	5600	7500	<b>02473</b>	<b>02420</b>	0.28	0.152
	72.233	25.40	25.40	19.842	63500	83500	5000	7100	<b>HM88630</b>	<b>HM88610</b>	0.398	0.188
	72.626	24.608	24.257	17.462	60000	58000	5600	7500	<b>41100</b>	<b>41286</b>	0.32	0.177
26.988	50.292	14.224	14.732	10.668	27600	32000	7100	10000	<b>L44649</b>	<b>L44610</b>	0.081	0.039
	57.15	19.845	19.355	15.875	40000	44500	6700	9000	<b>1997</b>	<b>1922</b>	0.152	0.077
	60.325	19.842	17.462	15.875	39500	45500	6700	9000	<b>15580</b>	<b>15523</b>	0.141	0.123
	62.00	19.05	20.638	14.288	46000	53000	6000	8000	<b>15106</b>	<b>15245</b>	0.211	0.081
28.575	57.15	19.845	19.355	15.875	40000	44500	6700	9000	<b>1988</b>	<b>1922</b>	0.141	0.077
	59.131	15.875	16.764	11.811	34500	41500	6300	8500	<b>LM67043</b>	<b>LM67010</b>	0.147	0.062
	62.00	19.05	20.638	14.288	46000	53000	6000	8000	<b>15112</b>	<b>15245</b>	0.199	0.081
	62.00	19.05	20.638	14.288	46000	53000	6000	8000	<b>15113</b>	<b>15245</b>	0.20	0.081
	64.292	21.433	21.433	16.67	51000	64500	5600	8000	<b>M86647</b>	<b>M86610</b>	0.223	0.128
	68.262	22.225	22.225	17.462	55000	64000	5600	7500	<b>02474</b>	<b>02420</b>	0.257	0.152
	726.606	24.608	24.257	17.462	60000	58000	5600	7500	<b>41125</b>	<b>41286</b>	0.292	0.177