


HMEC



Shaft diameter	Dimensions				Load ratings		Speed ratings		Code bearing HMEC	Weight ≈		
	d	B	F _a	r ₁ r ₂	d _{yn} C	stat. Co	ng 90000	ng 04				
mm					kN					kg		
15	15	27	16	19	0.3	1.5	12.5	17.3	14000	22000	NKH516	0.042
	15	27	20	19	0.3	1.5	15	22	14000	22000	NKH520	0.054
	15	28	13	20	0.3	1	10.2	13.7	13000	20000	NA4902	0.037
	15	28	23	20	0.3	1.5	16.6	25.5	13000	20000	NA6902	0.067
17	17	29	16	21	0.3	2	13.4	20	13000	20000	NKH716	0.047
	17	29	20	21	0.3	1.5	16.3	25	13000	20000	NKH720	0.059
	17	30	13	22	0.3	1	10.4	14.6	12000	19000	NA6903	0.040
	17	30	23	22	0.3	1.5	18	29	12000	19000	NA6903	0.084
17	37	20	24	0.6	1	26	31	10000	17000	NKIS17	0.108	
20	20	32	16	24	0.3	1.5	14.3	22.4	10000	17000	NKIS20/16	0.053
	20	32	20	24	0.3	1.5	17.3	26.5	10000	17000	NKIS20/20	0.067
	20	37	17	25	0.3	1.5	16	23.6	10000	17000	NA6904	0.084
	20	37	30	25	0.3	1.5	33.5	49	10000	17000	NA6904	0.133
20	42	20	28	0.6	1	27.6	36.5	9000	15000	NKIS20	0.130	
22	22	34	18	26	0.3	1.5	14.6	23.6	9000	15000	NKIS22/18	0.059
	22	34	20	26	0.3	2	17.6	30	9000	15000	NKIS22/20	0.071
	22	39	17	28	0.3	1.5	20.8	27.5	9000	15000	NA69/22	0.089
	22	39	30	28	0.3	1	29	51	9000	15000	NA69/22	0.163
25	25	38	20	29	0.3	2	20.8	34	6500	14000	NKIS25/20	0.086
	25	38	29	32	0.3	2	27	45	6500	14000	NKIS25/29	0.130
	25	42	17	30	0.3	1.5	21.6	30	6500	14000	NA69/25	0.099
	25	42	30	30	0.3	1.5	36.5	57	6500	14000	NA69/25	0.178
25	47	22	32	0.6	1.5	30.6	44	6000	13000	NKIS25	0.114	