


HMEC



NA69 (d≤32mm)

Shaft diameter	Dimensions						Load ratings		Speed ratings		Code bearing HMEC	Weight $\approx$
	d	D	B	F <sub>w</sub>	r	r <sub>2</sub>	dyn. C	stat. C <sub>0</sub>	min <sup>-1</sup>	min <sup>-1</sup>		
	mm						kN		ng/min	ng/04		
40	40	55	20	45	0.3	2	26.5	53	6300	9500	NK40/20	0.152
	40	55	30	45	0.3	1.5	39	86.5	6300	9500	NK40/30	0.229
	40	62	22	48	0.6	2	40	84	5000	8500	NA696	0.248
	40	62	40	48	0.6	1.5	64	118	5600	8500	NA6908	0.473
40	65	22	50	1	1	41.5	88	5600	8500	NK50/20	0.292	
42	42	57	20	47	0.3	2	27	55	6000	9000	NK42/20	0.159
	42	57	30	47	0.3	1.5	39	80	6000	9000	NK42/30	0.241
45	45	62	25	50	0.6	3	37.5	76.5	5600	8500	NK45/25	0.244
	45	62	35	50	0.6	3	51	114	5600	8500	NK45/35	0.346
	45	68	22	52	0.6	2	41.5	89.5	6300	8000	NA4909	0.291
	45	68	40	52	0.6	1.5	65.5	125	5300	8600	NA6909	0.659
	45	72	22	55	1	1	42.5	72	5000	7500	NK55/25	0.369
50	50	68	25	55	0.6	3	41.5	81.5	5000	7500	NK50/25	0.288
	50	68	35	55	0.6	3	57	122	5000	7500	NK50/35	0.406
	50	72	22	58	0.6	2	43	76.5	4800	7000	NA4910	0.296
	50	72	40	58	0.6	1.5	67	132	4800	7000	NA6910	0.577
	50	80	25	60	1.1	1.5	60	89	4900	7000	NK55/30	0.523
55	55	72	25	60	0.6	3	40	88	4800	7000	NK55/25	0.290
	55	72	35	60	0.6	3	55	132	4800	7000	NK55/35	0.410
	55	80	25	63	1	2.5	66	100	4500	6700	NA4911	0.426
	55	80	45	63	1	2.5	83	160	4500	6700	NA6911	0.930
	55	85	25	65	1.1	1.5	64	108	4300	6300	NK55/35	0.569