


HMEC



Shaft diameter	Dimensions				Load ratings		Speed ratings		Code bearing HMEC	Weight ≈ kg
	F _w	D	B	r _{1, r2 min}	dyn. C	stat. Co	min ⁻¹			
	mm				kN		ng grease	ng Oil		
29	29	38	20	0.3	20.8	34	8500	14000	NK29/20	0.060
	29	38	30	0.3	27	54	8500	14000	NK29/30	0.090
30	30	40	20	0.3	21.6	36	8500	14000	NK30/20	0.070
	30	40	30	0.3	31.5	58.5	8500	14000	NK30/30	0.107
	30	42	17	0.3	21.6	30	8500	14000	RNA4905	0.071
	30	42	30	0.3	36.5	57	8500	14000	RNA6905	0.127
	30	45	22	0.6	31	40.5	8500	14000	NKS30	0.114
32	32	42	20	0.3	22	37.5	8000	43000	NK32/20	0.074
	32	42	30	0.3	32.5	62	8000	13000	NK32/30	0.112
	32	45	17	0.3	22.4	31.5	8000	13000	RNA49/28	0.080
	32	45	30	0.3	40	60	8000	13000	RNA69/28	0.140
	32	47	22	0.6	32.5	44	8000	13000	NKS32	0.120
35	35	45	20	0.3	23.2	41.5	7500	12000	NK35/20	0.080
	35	45	30	0.3	34	68	7500	12000	NK35/30	0.122
	35	47	17	0.3	23.2	33.5	7500	12000	RNA4906	0.080
	35	47	30	0.3	39	65.5	7500	12000	RNA6906	0.148
	35	50	22	0.6	34	47.5	7500	12000	NKS35	0.130
37	37	47	20	0.3	23.6	43	7000	11000	NK37/20	0.084
	37	47	30	0.3	34.5	71	7000	11000	NK37/30	0.128
	37	52	22	0.6	35.5	51	7000	11000	NKS37	0.134