


## HMEC



Shaft diameter	Dimensions				Load ratings		Speed ratings		Code bearing	Weight
	F <sub>w</sub>	D	B	r <sub>1, r2</sub> min	dyn. C	stat. Co	min <sup>-1</sup>		HMEC	≈
	mm				kN		ng grease	ng Oil		kg
80	80	95	25	1	58.5	122	3600	5300	<b>NK80/25</b>	0.330
	80	95	35	1	72	176	3600	5300	<b>NK80/35</b>	0.380
	80	100	30	1	78	150	3600	5300	<b>RNA4914</b>	0.500
	80	100	54	1	125	270	3600	5300	<b>RNA6914</b>	0.945
85	85	105	25	1	69.5	129	3400	5000	<b>NK85/25</b>	0.400
	85	105	30	1	80	156	3400	5000	<b>RNA4915</b>	0.530
	85	105	35	1	98	208	3400	5000	<b>NK85/35</b>	0.710
	85	105	54	1	129	290	3400	5000	<b>RNA6915</b>	1.020
90	90	110	25	1	72	140	3000	4500	<b>NK90/25</b>	0.530
	90	110	30	1	83	170	3000	4500	<b>RNA4916</b>	0.556
	90	110	35	1	102	220	3000	4500	<b>NK90/35</b>	0.620
	90	110	54	1	118	320	3000	4500	<b>RNA6916</b>	1.050
95	95	115	26	1	46.5	116	3000	4500	<b>NK95/26</b>	0.572
	95	115	36	1	104	228	3000	4500	<b>NK95/36</b>	0.640
100	100	120	35	1.1	100	220	2800	4300	<b>RNA4917</b>	0.715
	100	120	63	1.1	143	415	2800	4300	<b>RNA6917</b>	1.350
	100	120	26	1	75	153	2800	4300	<b>NK100/26</b>	0.480
	100	120	36	1	108	245	2800	4300	<b>NK100/36</b>	0.66
105	105	125	35	1.1	104	236	2600	4000	<b>RNA4918</b>	0.75
	105	125	63	1.1	160	405	2600	4000	<b>RNA6918</b>	1.50