


HMEC



Shaft diameter	Dimensions		Basic Load rating		Fatigue limit load Pu kN	Limiting speed nG min ⁻¹	Reference speed nB min ⁻¹	Code Bearing HMEC Fw ID IC	Mass ≈ g
	E	r	dyn. C	stat. Co					
40	45	0.3	21.4	41.5	4.85	11000	8000	RNAO 40X50X17	74
	45	0.3	36.5	83	9.7	11000	7000	RNAO 40X50X34	152
	47	0.3	32.5	57	6.8	11000	8500	RNAO 40X55X20	145
	48	0.3	62	118	13.6	10000	7500	RNAO 40X55X40	275
45	50	0.3	22.5	46	5.4	10000	7500	RNAO 45X55X17	83
	53	0.3	67	135	15.5	9000	7000	RNAO 45X62X40	377
50	55	0.3	26.5	60	7.2	9000	7000	RNAO 50X62X20	140
	58	0.3	35.5	62	7.9	8500	6500	RNAO 50X65X20	168
	58	0.6	61	124	15.7	8500	6500	RNAO 50X65X40	355
55	60	0.6	28.5	66	8	8000	6500	RNAO 55X68X20	166
60	68	1	43.5	85	9.9	7000	5500	RNAO 60X78X20	255
	68	1	75	171	19.8	7000	5500	RNAO 60X78X40	435
65	73	1	57	123	15.2	6500	5500	RNAO 65X85X30	464
70	78	1	60	135	16.7	6000	5000	RNAO 70X90X30	499
80	88	1	71	176	22.4	5500	4200	RNAO 80X100X30	580
90	98	1	61	150	18	5000	4000	RNAO 90X105X26	373
	98	1	68	172	21.3	4900	4000	RNAO 90X110X30	610
100	108	1	71	188	23.1	4500	3700	RNAO 100X120X30	694