



## HMEC



NJ



NU

Shaft diameter	Dimensions					Load rating		Speed rating		Code bearing	Mass
	d	D	B	r <sub>1</sub> , r <sub>2</sub> min	r <sub>3</sub> , r <sub>4</sub> min	dyn. C <sub>r</sub>	stat. C <sub>or</sub>	ng <sub>grease</sub>	ng <sub>oil</sub>	HMEC	≈
	mm					kN		rpm			kg
80	80	170	39	2.1	2.1	255	275	3200	3800	<b>NU 316 E</b>	3.95
	80	170	39	2.1	2.1	255	275	3200	3800	<b>NJ 316 E</b>	3.95
	80	170	39	2.1	2.1	255	275	3200	3800	<b>NUP 316 E</b>	3.95
	80	170	58	2.1	2.1	355	425	3200	3800	<b>NU 2316 E</b>	5.9
	80	170	58	2.1	2.1	355	425	3200	3800	<b>NJ 2316 E</b>	5.9
	80	170	58	2.1	2.1	355	425	3200	3800	<b>NUP 2316 E</b>	5.9
	80	200	48	3	3	300	310	3000	3600	<b>N 416 M</b>	8.3
	80	200	48	3	3	300	310	3000	3600	<b>NU 416 M</b>	8.3
	80	200	48	3	3	300	310	3000	3600	<b>NJ 416 M</b>	8.3
85	85	130	22	1.1	1	78	104	4800	5600	<b>NU 1017 M</b>	1.1
	85	150	28	2	2	163	193	3800	4500	<b>N 217 E</b>	1.9
	85	150	28	2	2	163	193	3800	4500	<b>NU 217 E</b>	1.9
	85	150	28	2	2	163	193	3800	4500	<b>NJ 217 E</b>	1.9
	85	150	28	2	2	163	193	3800	4500	<b>NUP 217 E</b>	1.9
	85	150	36	2	2	216	275	3800	4500	<b>NU 2217 E</b>	2.6
	85	150	36	2	2	216	275	3800	4500	<b>NJ 2217 E</b>	2.6
	85	150	36	2	2	216	275	3800	4500	<b>NUP 2217 E</b>	2.6
	85	180	41	3	3	270	300	3000	3600	<b>N 317 E</b>	5.3
	85	180	41	3	3	270	300	3000	3600	<b>NU 317 E</b>	5.3
	85	180	41	3	3	270	300	3000	3600	<b>NJ 317 E</b>	5.3
	85	180	41	3	3	270	300	3000	3600	<b>NUP 317 E</b>	5.3
	85	180	60	3	3	365	450	3000	3600	<b>NU 2317 E</b>	6.9
	85	180	60	3	3	365	450	3000	3600	<b>NJ 2317 E</b>	6.9
	85	180	60	3	3	365	450	3000	3600	<b>NUP 2317 E</b>	6.9
	85	210	52	4	4	335	355	2800	3400	<b>N 417 M</b>	9.8
	85	210	52	4	4	335	355	2800	3400	<b>NU 417 M</b>	9.8
	85	210	52	4	4	335	355	2800	3400	<b>NJ 417 M</b>	9.8
	85	210	52	4	4	335	355	2800	3400	<b>NUP 417 M</b>	9.8