



HMEC



NJ



NU

Shaft diameter	Dimensions					Load rating		Speed rating		Code bearing	Mass
	d	D	B	r _{1,2} min	r _{3,4} min	dyn. C _r	stat. C _{or}	n _g grease	n _g oil	HMEC	≈
	mm					kN		rpm			kg
140	140	360	82	6	5	850	1020	1600	1900	NU 428 M	49.51
	140	360	82	6	5	850	1020	1600	1900	NJ 428 M	49.5
150	150	225	35	2.1	1.5	208	310	2600	3200	NU 1030 M	5
	150	270	45	3	3	440	585	2200	2800	N 230 E.M	11.8
	150	270	45	3	3	440	585	2200	2800	NU 230 E.M	11.8
	150	270	45	3	3	440	585	2200	2800	NJ 230 E.M	11.8
	150	270	45	3	3	440	585	2200	2800	NUP 230 E.M	11.8
	150	270	73	3	3	655	980	2000	2600	NU 2230 E.M	19.5
	150	270	73	3	3	655	980	2000	2600	NJ 2230 E.M	19.5
	150	270	73	3	3	655	980	2000	2600	NUP 2230 E.M	19.5
	150	320	65	4	4	800	1000	1800	2200	N 330 E.M	27.5
	150	320	65	4	4	800	1000	1800	2200	NU 330 E.M	27.5
	150	320	65	4	4	800	1000	1800	2200	NJ 330 E.M	27.5
	150	320	65	4	4	800	1000	1800	2200	NUP 330 E.M	27.5
	150	320	108	4	4	1160	1600	1700	2000	NU 2330 E.M	44.8
	150	320	108	4	4	1160	1600	1700	2000	NJ 2330 E.M	44.8
	150	320	108	4	4	1160	1600	1700	2000	NUP 2330 E.M	44.8
	150	380	85	6	5	898	1145	1500	1800	NU 430 M	48
150	380	85	6	5	898	1145	1500	1800	NJ 430 M	48	
160	160	240	38	2.1	1.5	245	355	2400	3000	NU 1032 M	6.2
	160	290	48	3	3	500	670	2000	2600	N 232E.M	14.6
	160	290	48	3	3	500	670	2000	2600	NU 232E.M	14.6
	160	290	48	3	3	500	670	2000	2600	NJ 232E.M	14.6
	160	290	48	3	3	500	670	2000	2600	NUP 232E.M	14.6
	160	290	80	3	3	800	1180	1900	2400	NU 2232 E.M	24.5
	160	290	80	3	3	800	1180	1900	2400	NJ 2232 E.M	24.5